

# Die Bestimmung der in Deutschland vorkommenden Larven der Hydropsychidae

	Submentum			Frontoclypeus				Kopf			Prosternite			Parietalia		Kiem.
																
C. lepi	X	-	-	X	-	-	X	X	-	-	-	-	-	X	-	-
H. angu	-	X	-	X	-	-	X	-	X	-	-	-	X	X	-	-
H. bulb	X	-	-	-	-	-	X	-	X	-	-	X	-	X	-	-
H. bulg	-	-	X	-	-	X	-	X	-	-	X	-	-	X	-	-
H. boto	-	(-><-)		X	-	-	X	-	X	-	-	X	-	-	X	-
H. cont	-	X	-	v	-	X	-	-	X	-	X	-	-	X	-	-
H. dina	-	X	-	-	-	-	X	-	X	-	-	X	-	(-><-)		-
H. exoc	-	X	-	-	-	X	-	-	X	-	-	X	-	X	-	-
H. fulv	X	-	-	-	-	-	X	-	X	-	-	X	-	(-><-)		-
H. gutt	(-><-)		-	X	-	-	X	-	-	X	X	-	-	X	-	-
H. inco	-	-	X	X	-	-	X	-	X	-	-	X	-	X	-	-
H. inst	X	-	-	-	-	-	X	-	X	-	-	X	-	X	-	-
H. mod	-	X	-	-	-	X	-	-	X	-	-	X	-	X	-	-
H. orna	-	X	X	v	-	X	-	?	X	-	X	-	-	X	-	-
H. pell	-	X	-	v	-	-	X	-	X	-	-	X	-	X	-	-
H. saxo	X	-	-	X	-	-	X	-	-	X	-	(-><-)		(-><-)		-
H. silf	X	-	-	X	-	-	X	-	-	X	-	X	-	X	-	-
H. silt	X	-	-	-	-	-	X	-	X	-	-	X	-	X	-	X
H. tenu	X	-	-	X	-	-	X	-	X	-	-	X	-	-	X	-
H. tobi	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
D. feli	X	-	-	-	X	X	-	-	X	-	X	-	-	X	-	X



